


Operating Range - Telescopic Boom (T)


起升高度曲线 - 主臂



Load Chart - Telescopic Boom (T)

性能表 - 主臂

Unit: t




	14.9	19.7	24.6	29.4	34.3	39.2	44.0	48.5	53.4	58.2	63.1	68.0	72.8	77.5	82.2	86.4	88.0	
3.0	250*	145.0																3.0
3.5	145.0	145.0	125.5															3.5
4.0	140.0	140.0	124.5															4.0
4.5	135.0	136.0	122.6	110.0														4.5
5.0	125.0	127.5	114.8	107.0														5.0
6.0	115.0	116.4	100.9	105.4	88.0													6.0
7.0	103.0	103.0	94.6	95.7	84.0	75.0												7.0
8.0	90.5	90.5	83.6	86.9	79.0	75.0	65.0											8.0
9.0	80.5	80.5	75.9	78.8	75.0	70.0	65.0	51.0										9.0
10.0	73.0	73.0	70.4	72.6	72.3	66.0	61.0	50.0	43.9									10.0
12.0		60.0	58.7	60.0	62.4	60.0	58.0	47.0	40.0	36.8								12.0
14.0		51.3	50.8	54.0	54.9	54.4	50.6	42.5	36.0	33.4	30.1							14.0
16.0			43.5	45.2	44.3	45.4	42.7	40.0	33.0	29.9	29.0	22.7						16.0
18.0			38.1	37.6	38.6	37.3	38.0	36.0	29.0	27.4	26.0	22.7	17.5					18.0
20.0				31.7	32.7	31.8	32.8	32.1	27.4	24.4	23.5	20.9	17.3	14.1				20.0
22.0				27.2	28.1	27.3	28.2	29.2	25.5	23.0	21.0	19.0	16.9	14.1	11.6			22.0
24.0					24.5	24.3	24.5	25.5	23.0	20.7	19.2	17.3	15.9	13.9	11.6	8.5	8.2	24.0
26.0					21.4	22.4	22.7	22.4	21.4	18.2	18.1	16.0	14.7	13.4	11.4	8.5	8.2	26.0
28.0					17.2	19.8	20.7	19.9	19.2	17.0	16.3	14.8	13.6	12.7	11.4	8.5	8.2	28.0
30.0						17.7	18.5	17.7	17.0	15.5	15.1	13.6	12.4	11.7	11.2	8.5	7.8	30.0
32.0						14.0	16.7	15.9	15.2	13.8	13.9	12.4	11.5	10.8	11.0	8.2	7.4	32.0
34.0							15.1	14.2	13.5	12.7	12.7	11.5	10.6	10.0	9.8	7.9	7.2	34.0
36.0							13.7	12.8	12.0	11.7	11.7	10.8	10.0	9.4	9.2	7.6	7.0	36.0
38.0								11.4	10.7	10.4	10.4	10.1	9.1	8.9	8.6	7.2	6.9	38.0
40.0								10.2	9.7	9.2	9.2	9.4	8.5	8.3	8.1	6.8	6.9	40.0
42.0									8.8	8.1	8.2	8.2	8.1	7.7	7.5	6.4	6.7	42.0
44.0									7.8	7.5	7.2	7.4	7.6	7.2	7.1	6.1	6.4	44.0
46.0										6.8	6.7	6.6	6.7	6.8	6.8	5.8	6.3	46.0
48.0										6.6	5.9	6.0	6.1	6.3	6.2	5.5	5.9	48.0
50.0											5.4	5.5	5.4	5.9	6.0	5.2	5.5	50.0
52.0											4.7	5.1	4.8	5.2	5.6	4.4	5.3	52.0
54.0												4.7	4.2	4.6	5.1	4.2	4.9	54.0
56.0												4.5	3.9	4.0	4.5	4.0	4.5	56.0
58.0													3.5	3.6	4.0	3.8	4.0	58.0
60.0													2.6	3.3	3.5	3.5	3.6	60.0
62.0														3.0	3.1	3.2	3.1	62.0
64.0														2.8	2.6	2.8	2.7	64.0
66.0															2.2	2.4	2.3	66.0
68.0															1.9		1.9	68.0
70.0																	1.6	70.0

Remark: * Requires additional equipment.
备注: * 代表需使用附加装置。

Operating Range-Fixed Jib


起升高度曲线 - 副臂



Load Chart-Fixed Jib

性能表 - 副臂

Unit: t



	12.7m+72.7m			12.7m+77.6m			12.7m+82.1m			
	0°	15°	30°	0°	15°	30°	0°	15°	30°	
18	7			6.4			5.2			18
20	7.0	6.0		6.4			5.2			20
22	6.7	6.0	4.2	6.4	5.5		5.2	4.5		22
24	6.7	6.0	4.2	6.3	5.5	4.0	5.2	4.5		24
26	6.5	5.8	4.1	6.3	5.5	4.0	5.2	4.5	3.6	26
28	6.3	5.8	4.1	6.3	5.5	3.9	5.2	4.5	3.5	28
30	6.2	5.6	3.9	6.1	5.3	3.7	5.1	4.5	3.5	30
32	6.0	5.6	3.9	6.0	5.1	3.6	5.1	4.3	3.3	32
34	5.8	5.4	3.7	5.8	4.9	3.5	5.1	4.3	3.3	34
36	5.6	5.2	3.6	5.5	4.7	3.4	5	4.1	3.3	36
38	5.4	5.0	3.5	5.2	4.6	3.4	5	4.1	3.3	38
40	5.1	4.8	3.5	4.9	4.5	3.4	4.8	4	3.3	40
42	4.8	4.6	3.4	4.7	4.2	3.3	4.6	3.8	3.3	42
44	4.5	4.3	3.4	4.5	4.0	3.3	4.4	3.6	3.2	44
46	4.2	4.0	3.3	4.2	3.7	3.3	4.2	3.4	3.2	46
48	3.9	3.8	3.3	3.9	3.5	3.2	3.9	3.2	3	48
50	3.6	3.6	3.2	3.6	3.3	3.2	3.6	3.1	2.9	50
52	3.3	3.4	3.1	3.3	3.1	3.2	3.3	3	2.9	52
54	3.0	3.1	3.1	3.0	2.9	3.1	3	2.9	2.8	54
56	2.7	2.8	2.9	2.7	2.7	2.9	2.8	2.8	2.7	56
58	2.4	2.5	2.6	2.4	2.5	2.7	2.6	2.7	2.6	58
60	2.1	2.2	2.3	2.2	2.3	2.5	2.4	2.6	2.6	2.2
62	1.8	1.9	1.9	2.0	2.1	2.3	2.2	2.4	2.4	62
64	1.5	1.6	1.7	1.7	1.9	2.1	2	2.2	2.3	64
66	1.3	1.5	1.5	1.5	1.7	1.8	1.7	2	2	66
68	1.1	1.3	0.0	1.2	1.5	1.6	1.4	1.8	1.7	68
70	1.0	1.1	0.0	1.0	1.2	1.4	1.2			70
72										72
74										74
76										76
78										78
80										80
	2222211			2222221			2222222			
	1	1	1	1	1	1	1	1	1	